



BOCCOLA A PRESSARE



Boccole

BSP

JIC

Metrici

ORFS

NPTF

JIS

Per idropulitrici

Per miniera

Giunzione

Flange

Ferrule

BSP

JIC

Metric

ORFS

NPTF

JIS

For Wash Machine


For Mining

Joint

Flange




**BP001C**      **Boccola a Pressare (non skive)**  
**Swaged Ferrule (no skive)**



Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP01C - 03	3/16"	4,8	19,0	24,0	NO	R17;2SC;1SN;Pilot;H1
BP01C - 04	1/4"	6,4	20,0	26,0	NO	R17;2SC;1SC;1SN;Pilot;H1
BP01C - 05	5/16"	8,0	22,0	26,0	NO	R17;2SC;1SC;1SN;Pilot;H2
BP01C - 06	3/8"	9,5	25,0	28,0	NO	R17;2SC;1SC;1SN;Pilot;H3
BP01C - 08	1/2"	12,7	28,0	28,0	NO	R17;2SC;1SC;1SN;Pilot;H4
BP01C - 10	5/8"	16,0	32,0	29,0	NO	R17;2SC;1SC;1SN;H1
BP01C - 12	3/4"	19,0	35,0	35,0	NO	R17;2SC;1SC;1SN;H2
BP01C - 16	1"	25,5	44,0	44,0	NO	R17;2SC;1SC;1SN;H3
BP01C - 20	1.1/4"	32,0	54,0	56,0	NO	1SN;2SC;1SC
BP01C - 24	1.1/2"	38,0	62,0	66,0	NO	1SN;2SC;1SC
BP01C - 32	2"	51,0	75,0	73,0	NO	1SN;2SC;1SC
BP01C - 40	2.1/2"	63,5	88,0	90,0	NO	2SC;1SC
BP01C - 48	3"	76,2	101,0	90,0	NO	2SC;1SC

**BP022**      **Boccola a Pressare (non skive)**  
**Swaged Ferrule (no skive)**




Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP022 - 03	3/16"	4,8	21,0	25,0	NO	1SN;2SN
BP022 - 04	1/4"	6,4	22,0	26,0	NO	1SN;2SN
BP022 - 05	5/16"	8,0	24,0	26,0	NO	1SN;2SN
BP022 - 06	3/8"	9,5	26,0	28,0	NO	1SN;2SN
BP022 - 08	1/2"	12,7	30,0	28,0	NO	1SN;2SN
BP022 - 10	5/8"	16,0	34,0	29,0	NO	1SN;2SN
BP022 - 12	3/4"	19,0	37,0	35,0	NO	1SN;2SN
BP022 - 16	1"	25,5	47,0	44,0	NO	1SN;2SN
BP022 - 20	1.1/4"	32,0	58,0	56,0	NO	1SN;2SN
BP022 - 24	1.1/2"	38,0	65,0	66,0	NO	1SN;2SN
BP022 - 32	2"	51,0	78,0	73,0	NO	1SN;2SN



BP001


Boccola a Pressare (skive)  
Swaged Ferrule (skive)




Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP001 - 03	3/16"	4,8	17,5	27,0	20	1SN;2SC;1ST
BP001 - 04	1/4"	6,4	20,0	30,2	23	1SN;2SC;1ST
BP001 - 05	5/16"	8,0	22,0	30,7	23	1SN;2SC;1ST
BP001 - 06	3/8"	9,5	24,0	32,0	24	1SN;2SC;1ST
BP001 - 08	1/2"	12,7	28,5	34,0	25	1SN;2SC;1ST
BP001 - 10	5/8"	16,0	32,0	37,0	27	1SN;2SC;1ST
BP001 - 12	3/4"	19,0	36,0	43,0	31	1SN;2SC;1ST
BP001 - 16	1"	25,5	43,0	50,0	37	1SN;2SC;1ST
BP001 - 20	1.1/4"	32,0	52,0	57,0	46	1SN;2SC;1ST
BP001 - 24	1.1/2"	38,0	57,0	63,0	54	1SN;2SC;1ST
BP001 - 32	2"	51,0	70,0	78,0	60	1SN;2SC;1ST

BP002


Boccola a Pressare (skive)  
Swaged Ferrule (skive)




Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP002 - 03	3/16"	4,8	20,0	27,0	21	1SN;2ST
BP002 - 04	1/4"	6,4	21,0	30,0	22	1SN;2ST
BP002 - 05	5/16"	8,0	24,0	30,0	22	1SN;2ST
BP002 - 06	3/8"	9,5	25,4	32,0	24	1SN;3SC;2ST
BP002 - 08	1/2"	12,7	30,0	34,0	25	1SN;2ST
BP002 - 10	5/8"	16,0	34,0	37,0	27	1SN;2ST
BP002 - 12	3/4"	19,0	38,0	43,0	31	1SN;2ST
BP002 - 16	1"	25,5	46,0	50,0	37	1SN;2ST
BP002 - 20	1.1/4"	32,0	58,0	59,0	43	1SN;2ST
BP002 - 24	1.1/2"	38,0	62,0	63,0	45	1SN;2ST
BP002 - 32	2"	51,0	75,0	79,0	61	1SN;2ST
BP002 - 40	2.1/2"	63,5	95,0	83,7	63	1SN;2ST
BP002 - 48	3"	76,2	105,5	94,3	78	1SN;2ST

**BP003T****Boccola a Pressare (non skive)  
Swaged Ferrule (no skive)**

Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP03T- 08	1/2"	12,7	31,0	32,5	NO	3SC
BP03T - 10	5/8"	16,0	34,0	34,0	NO	3SC

**BP003****Boccola a Pressare (non skive)  
Swaged Ferrule (no skive)**

Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP003 - 03	3/16"	4,8	14,0	27,0	NO	R3;3TE:R5
BP003 - 04	1/4"	6,4	19,0	29,0	NO	R3;3TE:R6
BP003 - 05	5/16"	8,0	22,0	30,0	NO	R3;3TE:R7
BP003 - 06	3/8"	9,5	24,0	31,0	NO	R3;3TE:R8
BP003 - 08	1/2"	12,7	28,5	34,0	NO	R3;3TE:R9
BP003 - 10	5/8"	16,0	32,0	36,0	NO	R3;3TE:R10
BP003 - 12	3/4"	19,0	38,0	43,0	NO	R3;3TE:R11
BP003 - 16	1"	25,5	46,0	50,0	NO	R3;3TE
BP003 - 20	1.1/4"	32,0	52,0	57,0	NO	R3;3TE


**BP007****Boccola a Pressare (non skive)  
Swaged Ferrule (no skive)**

Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP007 - 03	3/16"	4,8	14,0	27,0	NO	R7;R6;1TE:2TE
BP007 - 04	1/4"	6,4	17,0	29,0	NO	R7;R6;1TE:2TE
BP007 - 05	5/16"	8,0	19,0	30,0	NO	R7;R6;1TE:2TE
BP007 - 06	3/8"	9,5	21,0	31,0	NO	R7;R6;1TE:2TE
BP007 - 08	1/2"	12,7	25,4	34,0	NO	R7;R6;1TE:2TE
BP007 - 10	5/8"	16,0	28,5	36,0	NO	R7;R6;1TE:2TE
BP007 - 12	3/4"	19,0	32,0	36,0	NO	R7;R6;1TE:2TE
BP007 - 16	1"	25,5	40,0	50,0	NO	R7;R6;1TE:2TE



BP008


Boccola a Pressare (non skive)  
Swaged Ferrule (no skive)



Codice	Diametro		Dimensioni		Skive	Valido per
	Hose ID		mm			
Code	in	mm	D	L	Length	Valid for
BP008 - 03	3/16"	4,8	13,0	27,0	NO	R8
BP008 - 04	1/4"	6,4	17,0	29,0	NO	R8
BP008 - 05	5/16"	8,0	19,0	30,0	NO	R8
BP008 - 06	3/8"	9,5	21,5	31,0	NO	R8
BP008 - 08	1/2"	12,7	26,0	34,0	NO	R8
BP008 - 10	5/8"	16,0	29,0	36,0	NO	R8
BP008 - 12	3/4"	19,0	32,0	36,0	NO	R8
BP008 - 16	1"	25,5	40,0	50,0	NO	R8

BPPTFE


Boccola a Pressare per tubo PTFE  
Ferrule for PTFE hose




Codice	Diametro		Dimensioni			Skive	Valido per
	Hose ID		mm				
Code	in	mm	D	L	d	Length	Valid for
BPPTFE - 03	3/16"	4,8	12,7	22,0	9,5	NO	PTFE type T1
BPPTFE - 04	1/4"	6,4	14,4	24,0	11,1	NO	PTFE type T1
BPPTFE - 05	5/16"	8,0	17,0	24,6	13	NO	PTFE type T1
BPPTFE - 06	3/8"	9,5	19,0	27,4	15	NO	PTFE type T1
BPPTFE - 08	1/2"	12,7	22,5	28,7	18,3	NO	PTFE type T1
BPPTFE - 10	5/8"	16,0	27,0	31,7	23	NO	PTFE type T1
BPPTFE - 12	3/4"	19,0	28,7	34,5	24,8	NO	PTFE type T1
BPPTFE - 16	1"	25,5	38,0	43,5	34,3	NO	PTFE type T1

BPPTFE


Boccola a Pressare per tubo PTFE  
Ferrule for PTFE hose




Codice	Diametro		Dimensioni			Skive	Valido per
	Hose ID		mm				
Code	in	mm	D	L	d	Length	Valid for
BPPTFE - 04	1/4"	6,4	17,8	24,0	14,4	NO	PTFE type LTC
BPPTFE - 06	3/8"	9,5	20,0	27,4	16,8	NO	PTFE type LTC
BPPTFE - 08	1/2"	12,7	24,0	28,7	20,5	NO	PTFE type LTC
BPPTFE - 10	5/8"	16,0	29,2	31,7	25,4	NO	PTFE type LTC
BPPTFE - 12	3/4"	19,0	31,0	34,5	27,4	NO	PTFE type LTC
BPPTFE - 16	1"	25,5	38,5	43,5	34,7	NO	PTFE type LTC

**BP0009****Boccola a Pressare (skive)  
Swaged Ferrule (skive)**

Codice	Diametro		Dimensioni			Skive	Valido per
	Hose ID		mm				
Code	in	mm	D	L	d	Length	Valid for
BP0009 - 04	1/4"	6,4	21,0	30,0	15,3	22	4SP; R12
BP0009 - 06	3/8"	9,5	25,4	33,5	18,3	26	4SP; R12
BP0009 - 08	1/2"	12,7	30,0	36,0	22	18	4SP; R12
BP0009 - 10	5/8"	16,0	34,0	40,0	25,7	31	4SP; R12
BP0009 - 12	3/4"	19,0	38,0	43,0	29,4	34	4SP; R12; 4SH
BP0009 - 16	1"	25,5	46,0	60,0	36,1	48	4SP; R12
BP0009 - 20	1.1/4"	31,8	56,0	66,0	46,7	54	4SP; R12
BP0009 - 24	1.1/2"	38,1	67,0	76,5	55,7	62	4SP; R12
BP0009 - 32	2"	50,8	80,0	79,8	68,8	64	4SP

**BP004H****Boccola a Pressare (skive)  
Swaged Ferrule (skive)**

Codice	Diametro		Dimensioni			Skive	Valido per
	Hose ID		mm				
Code	in	mm	D	L	d	Length	Valid for
BP004H - 20	1.1/4"	31,8	52,0	66,0	43	55	4SH
BP004H - 24	1.1/2"	38,1	62,0	76,5	50,4	63	4SH
BP004H - 32	2"	50,8	75,0	80,0	65,5	65	R12

**BPMC1****Boccola a Pressare (non skive)****BPMC2****Swaged Ferrule (no skive)**

Codice	Diametro		Dimensioni			Skive	Valido per
	Hose ID		mm				
Code	in	mm	D	L	d	Length	Valid for
BPMC1 - 12	3/4"	19,0	45,0	41,0	41	NO	R12
BPMC1 - 16	1"	25,5	63,5	56,0	56	NO	R12;4SP;4SH
BPMC1 - 20	1.1/4"	31,8	62,0	62,0	62	NO	4SH
BPMC2 - 20	1.1/4"	31,8	66,0	62,0	62	NO	4SP; R12
BPMC2 - 24	1.1/2"	38,1	73,3	70,0	70	NO	R12;4SP;R13